48” Range Wall Hood
Model: DAR 1250

DAR 1250
Features:

- Vented Option only
- Recessed knob controls
- M Pro Stainless Steel
- Dishwasher-safe stainless steel Baffle Filters
- 4 Fan speeds including Intensive
- Hood interior with CleanCover
- LED ClearView lighting
- Auto-Vent safety sensor

SPECIFICATIONS	
DAR 1250 — Item 28125050USA	
Overall Unit Width	47 15/16” (1218mm)
Overall Height without duct cover	18” (457mm)
Overall Unit Depth	24 1/16” (611mm)
Lighting	
Number of lights and wattage	4 LED lights @ 2 watts each
Electrical	
Electrical Requirements	120V, 60Hz, 15 Amps
Power Cord	Yes - NEMA 5-15 plug, length 2’ 6” (0.75 m)
Shipping	
Shipping Weight	125.7 lbs. (57kg)
Shipping Dimensions	52 3/4” (1340mm) W x 28” (710mm) H x 29 3/16” (740mm) D
Support	
Call Miele	800.843.7231
Miele Website	www.mieleusa.com
20/20 Link	2020technologies.com

PRODUCT VIEW



1) Installation Area; Wall/Ceiling area respectively for vent hole and outlet installation.

For distance between cooktop and ventilation hood please see manual for further detail.

Duct Cover Options
DRDC 4824 - 24” height
DRDC 4818 - 18” height
DRDC 4812 - 12” height
DRDC 4806 - 6” height



VENTILATION GUIDE

The following combinations of appliances are possible:

	Air Venting with Internal Blower	Air Venting with External Blower	Air Recirculation	Duct Cover
Range Insert DAR 1120 30"	Blower DRIB XL=700 cfm or (DRIB XXL=1100 cfm)*	Blower DREB XL=700 cfm or (DREB XXL=1100 cfm)*	–	–
Range Insert DAR 1130 36"	Blower DRIB XL=700 cfm*** or DRIB XXL=1100 cfm	Blower DREB XL=700 cfm*** or DREB XXL=1100 cfm	–	–
Range Insert DAR 1150 48"	Blower DRIB XXL=1100 cfm	Blower DREB XXL=1100 cfm	–	–
Range Wall Hood DAR 1220 30"	Blower DRIB XL=700 cfm or (DRIB XXL=1100 cfm)*	Blower DREB XL=700 cfm or (DREB XXL=1100 cfm)*	Blower DRIB XL + Recirculation kit DRUU 30**	DRDC 3006 (6") DRDC 3012 (12") DRDC 3018 (18") DRDC 3024 (24")
Range Wall Hood DAR 1230 36"	Blower DRIB XL=700 cfm*** or DRIB XXL=1100 cfm	Blower DREB XL=700 cfm*** or DREB XXL=1100 cfm	DRIB XL + Recirculation kit DRUU 36**	DRDC 3606 (6") DRDC 3612 (12") DRDC 3618 (18") DRDC 3624 (24")
Range Wall Hood DAR 1250 48"	DRIB XXL=1100 cfm	DREB XXL=1100 cfm	–	DRDC 4806 (6") DRDC 4812 (12") DRDC 4818 (18") DRDC 4824 (24")

*Combination not recommended

**The DRDC Duct Cover can also be installed above the recirculation kit.

***Can not be combined with HR 1134 G/LP, HR 1934 DF G/LP, KMR 1134 G/LP